European Journal of Soil Science, December 1999, **50**, 730–734

European Journal of Soil Science

Volume 50 1999

Subject index

acid soils
acidification under woodland and grass, 401
brown earth–podzol weathering sequence, influence of clay minerals on radiocaesium fixation in, 117
forest, aliphatic carboxylic acids in Japan, vertical distribution of, 217
forest, pH and solubility of aluminium in, 95
sandy, excessively fertilized, modelling long-term phosphorus leaching and changes in phosphorus fertility in, 391
see also equilibria of weak acids
adsorption
of atrazine in two soils with and without switchgrass (*Panicum virgatum*) roots, 343
of nitrogen and carbon dioxide and porous structure of soils, 497
of phosphate by goethite, availability and effects of citrate exudation on, 379
aggregated subsoils, kinetics of phosphate sorption to macropore materials in, 317
aggregates, changes to water repellence caused by substrate-induced microbial activity, 35
aliphatic carboxylic acids, low molecular weight, in forest soils of Japan, vertical distribution of, 217
alkaline saline soil of former Lake Texcoco, carbon and nitrogen dynamics as affected by application of sewage sludge, 601
alkalinity reactions of aluminium with organic acidity in acidic forest soils, 95
n-Alkanes and free fatty acids in humus and Al horizons of soils under beech, spruce and grass in Massif-Central (Mont-Lozère), France, 433
allophane
^{13}C-NMR study of interactions of soil organic matter in podzols with, 695
solubility in Bs horizons, indication by organic Al precipitates, 713
alluvial plain in Greece, mapping soil resources using fuzzy sets in GIS environment, 261
aluminium
^{13}C-NMR study of interactions of soil organic matter in podzols with, 695
Al^{3+} activity in salt extract of exchangeable cations, 675
horizons under beech, spruce and grass, *n*-Alkanes and free fatty acids, 433
precipitates, solubility in allophanic Bs horizons could mimic those of Al hydroxides, 713
solubility in acidic forest soils: consequence of reactions between organic acidity and aluminium alkalinity, 95
and weak acid equilibria explaining activity of H^+ and Al^{3+} in salt extract of exchangeable cations, 675
analysis and elucidation of soil variation using wavelets, 185
Andisols, phosphorus retention and release of anions and organic carbon by, 157
anion
excretion from plant roots, model of phosphate stabilization by, 369
release and phosphorus retention by two Andisols, 157
sorption by goethite, simple equation to describe, 151
Aridosols, Iranian, palygorskite, submicroscopy and stable isotope geochemistry of carbonates and, 207
atrazine movement, adsorption and mineralization in two soils with and without switchgrass (*Panicum virgatum*) roots, 343
Austria, effect of water tension on ethylene production and consumption in montane and lowland soils of, 425

B-horizons, water-soluble organic matter accumulation in, 701
beech, *n*-Alkanes and free fatty acids in humus and Al horizons of soils under, 433
bioavailability
of organic forms of nitrogen in O horizon of podzol, 591
of trace metals measured by diffusive gradients in thin films (DGT), 285
biodegradability of humic acid preparations, molecular characteristics related to, 227
blocking release of potassium from clay interlayers by small concentrations of NH_4^+ and Cs^+, 665
British uplands, influence of soil processes on carbon isotope distribution and turnover in, 41
bromide transport
simulation in heterogeneous field soil with transient unsaturated flow, 633
under steady-state and transient flow conditions, 23
brown earth–podzol weathering sequence, influence of clay minerals on radiocaesium fixation in, 117
Bs horizons, allophanic, organic Al precipitates could mimic Al hydroxides, and indicate solubility of associated allophanes, 713
Burns's equation utility to describe solute movement through soil under various boundary and initial conditions, 649

cadmium
general purpose Freundlich isotherms for, 139
native and added, sorption and desorption in relation to properties of soils in New Zealand, 127
calculation of nitrogen mineralization and leaching in fallow soil using simple dynamic model, 549
carbon
^{13}C-NMR study of interactions of soil organic matter with aluminium and allophane in podzols, 695
charred organic, in German chernozemic soils, 351
dynamics in alkaline saline soil of former Lake Texcoco as affected by application of sewage sludge, 601
isotope distribution and turnover in British uplands, influence of soil processes on, 41
mineralization in soil particle size fractions, effect of maize straw on, 73
nitrogen and microbial gradients induced by plant residues decomposing, 567
organic dissolved, in Central European Norway spruce ecosystem, 579
organic, release and phosphorus retention by two Andisols, 157
carbon dioxide adsorption and porous structure of soils, 497

© 1999 Blackwell Science Ltd

European Journal of Soil Science, December 1999, **50**, 730–734

European Journal of Soil Science

Volume 50 1999

Subject index

acid soils
acidification under woodland and grass, 401
brown earth–podzol weathering sequence, influence of clay minerals on radiocaesium fixation in, 117
forest, aliphatic carboxylic acids in Japan, vertical distribution of, 217
forest, pH and solubility of aluminium in, 95
sandy, excessively fertilized, modelling long-term phosphorus leaching and changes in phosphorus fertility in, 391
see also equilibria of weak acids
adsorption
of atrazine in two soils with and without switchgrass (*Panicum virgatum*) roots, 343
of nitrogen and carbon dioxide and porous structure of soils, 497
of phosphate by goethite, availability and effects of citrate exudation on, 379
aggregated subsoils, kinetics of phosphate sorption to macropore materials in, 317
aggregates, changes to water repellence caused by substrate-induced microbial activity, 35
aliphatic carboxylic acids, low molecular weight, in forest soils of Japan, vertical distribution of, 217
alkaline saline soil of former Lake Texcoco, carbon and nitrogen dynamics as affected by application of sewage sludge, 601
alkalinity reactions of aluminium with organic acidity in acidic forest soils, 95
n-Alkanes and free fatty acids in humus and Al horizons of soils under beech, spruce and grass in Massif-Central (Mont-Lozère), France, 433
allophane
^{13}C-NMR study of interactions of soil organic matter in podzols with, 695
solubility in Bs horizons, indication by organic Al precipitates, 713
alluvial plain in Greece, mapping soil resources using fuzzy sets in GIS environment, 261
aluminium
^{13}C-NMR study of interactions of soil organic matter in podzols with, 695
Al^{3+} activity in salt extract of exchangeable cations, 675
horizons under beech, spruce and grass, *n*-Alkanes and free fatty acids, 433
precipitates, solubility in allophanic Bs horizons could mimic those of Al hydroxides, 713
solubility in acidic forest soils: consequence of reactions between organic acidity and aluminium alkalinity, 95
and weak acid equilibria explaining activity of H^+ and Al^{3+} in salt extract of exchangeable cations, 675
analysis and elucidation of soil variation using wavelets, 185
Andisols, phosphorus retention and release of anions and organic carbon by, 157
anion
excretion from plant roots, model of phosphate stabilization by, 369
release and phosphorus retention by two Andisols, 157
sorption by goethite, simple equation to describe, 151
Aridosols, Iranian, palygorskite, submicroscopy and stable isotope geochemistry of carbonates and, 207
atrazine movement, adsorption and mineralization in two soils with and without switchgrass (*Panicum virgatum*) roots, 343
Austria, effect of water tension on ethylene production and consumption in montane and lowland soils of, 425

B-horizons, water-soluble organic matter accumulation in, 701
beech, *n*-Alkanes and free fatty acids in humus and Al horizons of soils under, 433
bioavailability
of organic forms of nitrogen in O horizon of podzol, 591
of trace metals measured by diffusive gradients in thin films (DGT), 285
biodegradability of humic acid preparations, molecular characteristics related to, 227
blocking release of potassium from clay interlayers by small concentrations of NH_4^+ and Cs^+, 665
British uplands, influence of soil processes on carbon isotope distribution and turnover in, 41
bromide transport
simulation in heterogeneous field soil with transient unsaturated flow, 633
under steady-state and transient flow conditions, 23
brown earth–podzol weathering sequence, influence of clay minerals on radiocaesium fixation in, 117
Bs horizons, allophanic, organic Al precipitates could mimic Al hydroxides, and indicate solubility of associated allophanes, 713
Burns's equation utility to describe solute movement through soil under various boundary and initial conditions, 649

cadmium
general purpose Freundlich isotherms for, 139
native and added, sorption and desorption in relation to properties of soils in New Zealand, 127
calculation of nitrogen mineralization and leaching in fallow soil using simple dynamic model, 549
carbon
^{13}C-NMR study of interactions of soil organic matter with aluminium and allophane in podzols, 695
charred organic, in German chernozemic soils, 351
dynamics in alkaline saline soil of former Lake Texcoco as affected by application of sewage sludge, 601
isotope distribution and turnover in British uplands, influence of soil processes on, 41
mineralization in soil particle size fractions, effect of maize straw on, 73
nitrogen and microbial gradients induced by plant residues decomposing, 567
organic dissolved, in Central European Norway spruce ecosystem, 579
organic, release and phosphorus retention by two Andisols, 157
carbon dioxide adsorption and porous structure of soils, 497

© 1999 Blackwell Science Ltd

carbonates and associated palygorskite in Iranian Aridisols, submicroscopy and stable isotope geochemistry of, 207
carboxylic acids, low molecular weight aliphatic, vertical distribution in forest soils of Japan, 217
cations, exchangeable, equilibria of weak acids and organic Al complexes explaining activity of H^+ and Al^{3+} in salt extract of, 675
Central European Norway spruce ecosystem, dissolved organic nitrogen and carbon in, 579
changes
to hardsetting properties of soil by addition of metal hydroxides, 657
in soil chemistry accompanying acidification under woodland and grass at Rothamsted Experimental Station, UK, 401
to water repellence of soil aggregates caused by substrate-induced microbial activity, 35
characterization of porous structure of soils: adsorption of nitrogen (77 K) and carbon dioxide (273 K) and mercury porosimetry, 497
charred organic carbon in German chernozemic soils, 351
chemical changes in soil chemistry accompanying acidification under woodland and grass, 401
chernozemic soils, German, charred organic carbon in, 351
citrate exudation from roots, effects on plant availability of phosphate adsorbed by goethite, 379
clay
interlayers, potassium release blocked by small concentrations of NH_4^+ and Cs^+, 665
minerals and fixation of radiocaesium traces in acid brown earth–podzol weathering sequence, 117
minerals, topsoils with, surface area determination of, 309
silty-clay soil, undisturbed, gas diffusion in, 249
coal, particle size fractionation of soil containing, 515
cocoa leaf decomposition: effect on phosphorus dynamics in tropical soil, 165
combusted particles, particle size fractionation of soil containing, 515
comparison of models for characterizing distribution of radionuclides with depth in soil, 295
conductivity
electrical, evaluating soil salinity status from, 505
unsaturated hydraulic, as measured by tension disc infiltrometers, 275
content and bioavailability of organic forms of nitrogen in O horizon of podzol, 591
conventional methods for mapping soil texture classes, 457
copper, general purpose Freundlich isotherms for, 139
Cs^+, blocking release of potassium from clay interlayers by small concentrations of, 665

decomposition
of cocoa leaves and their effect on phosphorus dynamics in tropical soil, 165
of plant residues, carbon, nitrogen and microbial gradients induced by, 567
of straw, immobilization of nitrogen by, 329
density fractions of soil, thermal stability and composition of mineral-bound organic matter in, 237
desorption of native and added cadmium in relation to properties of soils in New Zealand, 127
diffusive gradients in thin films (DGT), measuring bioavailable trace metals by, 285
dispersion procedure, ultrasonic, to isolate primary organomineral complexes from soils, 87
dissolved humic substances, effects of mineral and monocarboxylic acids on, 687
dissolved organic nitrogen and carbon in Central European Norway spruce ecosystem, 579
distribution of radionuclides with depth, comparison of models for, 295
dry regions, fallow in, efficacy of perforating soil to capture and store rain in, 481
dynamics of dissolved organic nitrogen and carbon in Central European Norway spruce ecosystem, 579

efficacy of perforating soil to capture and store rain during fallow in dry regions, 481
electrical conductivity and permittivity, evaluating soil salinity status from, 505
empirical modelling of kinetics of phosphate sorption to macropore materials in aggregated subsoils, 317
equilibria of weak acids and organic Al complexes explaining activity of H^+ and Al^{3+} in salt extract of exchangeable cations, 675
ethylene production and consumption in montane and lowland soils of Austria, effect of water tension on, 425
evaluation
of soil salinity status from bulk electrical conductivity and permittivity, 505
of ultrasonic dispersion procedure to isolate primary organomineral complexes from soils, 87
experimental study on undisturbed silty-clay soil core and simulation in its three-dimensional construction, 249

fallow
in dry regions, efficacy of perforating soil to capture and store rain during, 481
nitrogen mineralization and leaching in, 549
fatty acids, free, in humus and Al horizons of soils under beech, spruce and grass, 433
fertility, phosphorus, in excessively fertilized acid sandy soils, 391
fertilizer leaching from cropped and irrigated sandy soil in Central Turkey, 609
fibres, water-soluble organic matter accumulation in, 701
field texturing used to map soil texture classes by both conventional and geostatistical methods, 457
fixation of radiocaesium traces
in acid brown earth–podzol weathering sequence, influence of clay minerals on, 117
in weathering sequence mica → vermiculite → hydroxy interlayered vermiculite, 107
flow conditions, steady-state and transient, bromide and herbicide transport under, 23
forest soils
acidic, pH and solubility of aluminium in, 95
n-Alkanes and free fatty acids in humus and Al horizons of, 433
of Japan, vertical distribution of low molecular weight aliphatic carboxylic acids in, 217
Norway spruce ecosystem, dissolved organic nitrogen and carbon in, 579
fractals: silty soil structures and their mercury porosimetry curve counterparts, 9
fractionation of soil containing coal and combusted particles, 515
France *see* Massif-Central; Paris Basin
Freundlich isotherms for cadmium, copper and zinc in soils, 139
functional analysis of soil organic matter as affected by long-term manurial treatment, 65
fuzzy sets in GIS environment used to map soil resources of recent alluvial plain in Greece, 261

gas diffusion in silty-clay soil: experimental study on undisturbed soil core and simulation in its three-dimensional construction, 249
general purpose Freundlich isotherms for cadmium, copper and zinc in soils, 139
geochemistry, isotope, of carbonates and associated palygorskite in Iranian Aridisols, 207
geostatistical methods for mapping soil texture classes, 457
German chernozemic soils, charred organic carbon in, 351
GIS environment, fuzzy sets used to map soil resources of recent alluvial plain in Greece, 261
goethite
adsorption of phosphate by, availability and effects of citrate exudation on, 379
anion sorption by, simple equation to describe, 151
grass
n-Alkanes and free fatty acids in humus and Al horizons of soils under, 433
changes in soil chemistry accompanying acidification under, 401
Greece, mapping soil resources of recent alluvial plain using fuzzy sets in GIS environment, 261

H^+ activity in salt extract of exchangeable cations, 675
hardsetting properties changed by addition of metal hydroxides, 657
herbicide transport under steady-state and transient flow conditions, 23
heterogeneous field soil with transient unsaturated flow, simulation of bromide transport in, 633
humus/humic
  acid preparations, biodegradability and molecular characteristics related to, 227
  n-Alkanes and free fatty acids in soils under beech, spruce and grass, 433
  substances, dissolved, effects of mineral and monocarboxylic acids on, 687
hydraulic conductivity, unsaturated, topographic and seasonal variations of, 275
hydroxides
  aluminium precipitate solubility in allophanic Bs horizons could mimic and indicate solubility of associated allophanes, 713
  metal, change to hardsetting properties of soil by addition of, 657
hydroxy interlayered vermiculite, fixation of radiocaesium traces in weathering sequence of, 107

immobilization of nitrogen by straw decomposing in soil, 329
improved method for determining the specific surface areas of topsoils with varied organic matter content, texture and clay mineral composition, 309
infiltrometers, tension disc, topographic and seasonal variations of unsaturated hydraulic conductivity measured by, 275
influence of nature of clay minerals on fixation of radiocaesium traces in acid brown earth–podzol weathering sequence, 117
influence of soil processes on carbon isotope distribution and turnover in British uplands, 41
Iranian Aridosols, palygorskite, submicroscopy and stable isotope geochemistry of carbonates and, 207
irrigated sandy soil in Central Turkey, nitrogen fertilizer leaching from, 609
isotherms, Freundlich, for cadmium, copper and zinc in soils, 139
isotope
  carbon, distribution and turnover in British uplands, influence of soil processes on, 41
  geochemistry of carbonates and associated palygorskite in Iranian Aridisols, 207

Japan, forest soils of, vertical distribution of low molecular weight aliphatic carboxylic acids in, 217

kinetics
  of organic matter release from soil by salt solutions, 53
  of phosphate sorption to macropore materials in aggregated subsoils, 317
Kjeldahl procedure for determining strongly fixed NH_4^+-N, 523

leaching
  losses and phosphorus forms in soil, management effects on, 413
  in macroporous soil, 621
  of nitrogen fertilizer from cropped and irrigated sandy soil in Central Turkey, 609
  and nitrogen mineralization in fallow soil, 549
  phosphorus and changes in phosphorus fertility in excessively fertilized acid sandy soils, 391
leaves, cocoa, decomposition and their effect on phosphorus dynamics in tropical soil, 165
local knowledge used to map soil texture classes by both conventional and geostatistical methods, 457
loess in Paris Basin (France), mineralogical development of silt fractions of Podzoluvisol on, 443
low molecular weight aliphatic carboxylic acids in forest soils of Japan, vertical distribution of, 217
lowland soils of Austria, effect of water tension on ethylene production and consumption in, 425

macropore materials in aggregated subsoils, empirical modelling of kinetics of phosphate sorption to, 317
macroporous soil, modelling particle mobilization and leaching in, 621
maize straw placement: effect on mineralization of C and N in soil particle size fractions, 73
management effects on forms of phosphorus in soil and leaching losses, 413
manurial treatment, long-term, analysis of soil organic matter as affected by, 65
mapping soil
  resources of recent alluvial plain in Greece using fuzzy sets in GIS environment, 261
  texture classes using field texturing, particle size distribution and local knowledge, 457
Massif-Central (Mont-Lozère), France, *n*-Alkanes and free fatty acids in humus and Al horizons of soils under beech, spruce and grass in, 433
measuring bioavailable trace metals by diffusive gradients in thin films (DGT): soil moisture effects on its performance, 285
mercury porosimetry
  curve counterparts and silty soil structures: fractals and percolation, 9
  and porous structure of soils, 497
metals
  cadmium, copper and zinc, Freundlich isotherms for, 139
  hydroxides, change to hardsetting properties of soil by addition of, 657
  trace, measured by diffusive gradients in thin films (DGT), 285
  see also aluminium; mercury porosimetry
Mexico *see* Texcoco
mica → vermiculite → hydroxy interlayered vermiculite, fixation of radiocaesium traces in weathering sequence of, 107
microbial
  activity, substrate-induced, changes to water repellence of soil aggregates caused by, 35
  carbon and nitrogen gradients induced by plant residues decomposing, 567
minerals
  acids and molecular association of dissolved humic substances, 687
  -bound organic matter in density fractions of soil, thermal stability and composition of, 237
  clay
    and fixation of radiocaesium traces in acid brown earth–podzol weathering sequence, 117
    topsoils with, surface area determination of, 309
  mineralization
    of C and N in soil particle size fractions, effect of maize straw on, 73
    of atrazine in two soils with and without switchgrass (*Panicum virgatum*) roots, 343
  mineralization of nitrogen in fallow soil using simple dynamic model, 549
  mineralogical development of silt fractions of Podzoluvisol on loess in Paris Basin (France), 443
  see also metals
model/modelling
  for characterizing distribution of radionuclides with depth in soil, 295
  of kinetics of phosphate sorption to macropore materials in aggregated subsoils, 317
  long-term phosphorus leaching and changes in phosphorus fertility in excessively fertilized acid sandy soils, 391
  neural network, to predict water retention, 489
  particle mobilization and leaching in macroporous soil, 621
  of phosphate stabilization by organic anion excretion from plant roots, 369
modified Kjeldahl procedure for determining strongly fixed NH_4^+-N, 523
moisture effects on measuring bioavailable trace metals by diffusive gradients in thin films (DGT), 285
molecular
  association of dissolved humic substances, effects of mineral and monocarboxylic acids on, 687
  characteristics related to biodegradability of humic acid preparations, 227
  weight, low, of aliphatic carboxylic acids in forest soils of Japan, vertical distribution of, 217
monocarboxylic acids and molecular association of dissolved humic substances, 687

montane soils of Austria, effect of water tension on ethylene production and consumption in, 425
movement, adsorption and mineralization of atrazine in two soils with and without switchgrass (*Panicum virgatum*) roots, 343

nature and kinetics of organic matter release from soil by salt solutions, 53
neural network models to predict soil water retention, 489
New Zealand, solubility, sorption and desorption of native and added cadmium in relation to properties of soils in, 127
NH_4^+, blocking release of potassium from clay interlayers by small concentrations of, 665
NH_4^+-N, strongly fixed, Kjeldahl procedure for determining, 523
nitrogen
  adsorption and porous structure of soils, 497
  carbon and microbial gradients induced by plant residues decomposing, 567
  content and bioavailability of organic forms in O horizon of podzol, 591
  dissolved organic, in Central European Norway spruce ecosystem, 579
  dynamics in alkaline saline soil of former Lake Texcoco as affected by application of sewage sludge, 601
  fertilizer leaching from cropped and irrigated sandy soil in Central Turkey, 609
  immobilization by straw decomposing in soil, 329
  mineralization and leaching in fallow soil, 549
  mineralization in soil particle size fractions, effect of maize straw on, 73
Norway spruce ecosystem, dissolved organic nitrogen and carbon in, 579O horizon of podzol, content and bioavailability of organic forms of nitrogen in, 591

organic matter
  acidity and aluminium alkalinity reactions in acidic forest soils, 95
  affected by long-term manurial treatment, analysis of, 65
  Al complexes and weak acid equilibria explaining activity of H^+ and Al^{3+} in salt extract of exchangeable cations, 675
  Al precipitates, solubility in allophanic Bs horizons could mimic those of Al hydroxides, and indicate solubility of associated allophanes, 713
  anion excretion from plant roots, model of phosphate stabilization by, 369
  carbon
    charred, in German chernozemic soils, 351
    release and phosphorus retention by two Andisols, 157
  dissolved nitrogen in Central European Norway spruce ecosystem, 579
  interactions with aluminium and allophane in podzols, ^{13}C-NMR study of, 695
  mineral-bound, in density fractions of soil, thermal stability and composition of, 237
  nitrogen in O horizon of podzol, content and bioavailability of, 591
  release from soil by salt solutions, kinetics of, 53
  topsoils with, surface area determination of, 309
  water-soluble, in incipient podzols: accumulation in B horizons or in fibres?, 701
organomineral complexes, primary, evaluation of ultrasonic dispersion procedure to isolate, 87

palygorskite in Iranian Aridisols, submicroscopy and stable isotope geochemistry of carbonates and, 207
Panicum virgatum (switchgrass) roots, movement, adsorption and mineralization of atrazine in two soils with and without, 343
Paris Basin (France), mineralogical development of silt fractions of Podzoluvisol on loess in, 443
particle mobilization and leaching in macroporous soil, 621
particle size
  distribution used to map soil texture classes by both conventional and geostatistical methods, 457
  fractionation of soil containing coal and combusted particles, 515
  fractions, effect of maize straw on mineralization of C and N in, 73
percolation: silty soil structures and their mercury porosimetry curve counterparts, 9
perforating soil to capture and store rain during fallow in dry regions, 481
permittivity, electrical, evaluating soil salinity status from, 505
pH and solubility of aluminium in acidic forest soils: consequence of reactions between organic acidity and aluminium alkalinity, 95
phosphate
  adsorbed by goethite, availability and effects of citrate exudation on, 379
  sorption to macropore materials in aggregated subsoils, empirical modelling of kinetics of, 317
  stabilization by organic anion excretion from plant roots, model of, 369
phosphorus
  dynamics in tropical soil and cocoa leaf decomposition, 165
  forms in soil and leaching losses, management effects on, 413
  leaching and changes in phosphorus fertility in excessively fertilized acid sandy soils, 391
  retention and release of anions and organic carbon by two Andisols, 157
plant residue decomposition, carbon, nitrogen and microbial gradients induced by, 567
podzols
  ^{13}C-NMR study of interactions of soil organic matter with aluminium and allophane in, 695
  content and bioavailability of organic forms of nitrogen in O horizon of, 591
  incipient, water-soluble organic matter in: accumulation in B horizons or in fibres?, 701
  Podzoluvisol silt fractions on loess in Paris Basin (France), mineralogical development of, 443
  weathering sequence, influence of clay minerals on radiocaesium fixation in, 117
porosimetry, mercury
  porous structure of soils and, 497
  and silty soil structures: fractals and percolation, 9
porous structure of soils: adsorption of nitrogen (77 K) and carbon dioxide (273 K) and mercury porosimetry, 497
potassium release from clay interlayers blocked by small concentrations of NH_4^+ and Cs^+, 665
prediction of water retention, neural network models for, 489
primary organomineral complexes, evaluation of ultrasonic dispersion procedure to isolate, 87

quartz grains from tropical soils and its significance for assessing soil weathering, surface morphology of, 1

radiocaesium fixation
  in acid brown earth–podzol weathering sequence, influence of clay minerals on, 117
  in weathering sequence mica → vermiculite → hydroxy interlayered vermiculite, 107
radionuclide distribution with depth, comparison of models for, 295
rain capture and storage by perforating soil during fallow in dry regions, 481
relation between silty soil structures and their mercury porosimetry curve counterparts: fractals and percolation, 9
roots
  citrate exudation from, effects on plant availability of phosphate adsorbed by goethite, 379
  phosphate stabilization by organic anion excretion from, 369
  switchgrass (*Panicum virgatum*), movement, adsorption and mineralization of atrazine in two soils with and without, 343
Rothamsted Experimental Station, UK, changes in soil chemistry accompanying acidification, 401

saline soil of former Lake Texcoco, carbon and nitrogen dynamics as affected by application of sewage sludge, 601
salinity status evaluation from bulk electrical conductivity and permittivity, 505
salt
  extract of exchangeable cations, equilibria of weak acids and organic Al complexes explaining activity of H^+ and Al^{3+} in, 675
  solutions, kinetics of organic matter release from soil by, 53
sandy soils
  acid and excessively fertilized, modelling long-term phosphorus leaching and changes in phosphorus fertility in, 391
  irrigated, nitrogen fertilizer leaching from, 609
seasonal variations of unsaturated hydraulic conductivity as measured by tension disc infiltrometers at field scale, 275

sewage sludge, carbon and nitrogen dynamics in alkaline saline soil as affected by, 601
silt/silty
-clay soil, undisturbed, gas diffusion in, 249
fractions of Podzoluvisol on loess in Paris Basin (France), mineralogical development of, 443
structures and their mercury porosimetry curve counterparts: fractals and percolation, 9
simple equation to describe sorption of anions by goethite, 151
simulation
of bromide transport in heterogeneous field soil with transient unsaturated flow, 633
of effects of citrate exudation from roots on plant availability of phosphate adsorbed by goethite, 379
solubility
of allophanes in Bs horizons, indication by organic Al precipitates, 713
of aluminium in acidic forest soils: consequence of reactions between organic acidity and aluminium alkalinity, 95
of aluminium precipitates in allophanic Bs horizons could mimic those of Al hydroxides, and indicate solubility of associated allophanes, 713
of cadmium in relation to properties of soils in New Zealand, 127
solute movement through soil, utility of Burns's equation to describe, 649
sorption
of anions by goethite, simple equation to describe, 151
of native and added cadmium in relation to properties of soils in New Zealand, 127
spruce, *n*-Alkanes and free fatty acids in humus and Al horizons of soils under, 433
steady-state flow conditions, bromide and herbicide transport under, 23
straw
decomposing in soil, immobilization of nitrogen by, 329
maize: effect on mineralization of C and N in soil particle size fractions, 73
submicroscopy and stable isotope geochemistry of carbonates and associated palygorskite in Iranian Aridisols, 207
subsoils, aggregated, empirical modelling of kinetics of phosphate sorption to macropore materials in, 317
substrate-induced microbial activity, changes to water repellence of soil aggregates caused by, 35
surface
area determination of topsoils with varied organic matter content, texture and clay mineral composition, 309
morphology of quartz grains from tropical soils and its significance for assessing soil weathering, 1
switchgrass (*Panicum virgatum*) roots, movement, adsorption and mineralization of atrazine in two soils with and without, 343

tension disc infiltrometers, topographic and seasonal variations of unsaturated hydraulic conductivity measured by, 275
Texcoco, former Lake, carbon and nitrogen dynamics in alkaline saline soil as affected by application of sewage sludge, 601
texture, varied, topsoils with, surface area determination of, 309
thermal stability and composition of mineral-bound organic matter in density fractions of soil, 237
thin films (DGT), diffusive gradients, measuring bioavailable trace metals by, 285
topographic and seasonal variations of unsaturated hydraulic conductivity as measured by tension disc infiltrometers, 275
topsoils with varied organic matter content, texture and clay mineral composition, surface area determination, 309
trace metals measured by diffusive gradients in thin films (DGT), 285
transient flow conditions, bromide and herbicide transport under, 23
tropical soils
decomposition of cocoa leaves and their effect on phosphorus dynamics in, 165
quartz grain surface morphology and its significance for assessing soil weathering, 1
Turkey, nitrogen fertilizer leaching from cropped and irrigated sandy soil in, 609
two-dimensional simulation of bromide transport in heterogeneous field soil with transient unsaturated flow, 633

ultrasonic dispersion procedure to isolate primary organomineral complexes from soils, 87
unsaturated flow, transient, simulation of bromide transport in heterogeneous field soil with, 633
unsaturated hydraulic conductivity as measured by tension disc infiltrometers at field scale, topographic and seasonal variations of, 275
uplands, British, influence of soil processes on carbon isotope distribution and turnover in, 41
utility of Burns's equation to describe solute movement through soil under various boundary and initial conditions, 649

variation, soil, analysis and elucidation wavelets, 185
vermiculite, hydroxy interlayered, fixation of radiocaesium traces in weathering sequence of, 107
vertical distribution of low molecular weight aliphatic carboxylic acids in forest soils of Japan, 217

water
repellence of soil aggregates: changes caused by substrate-induced microbial activity, 35
retention, neural network models to predict, 489
-soluble organic matter in incipient podzols: accumulation in B horizons or in fibres?, 701
tension and ethylene production and consumption in montane and lowland soils of Austria, 425
wavelets, analysis and elucidation of soil variation using, 185
weathering
sequence in acid brown-earth podzols, influence of clay minerals on fixation of radiocaesium traces in, 117
sequence mica → vermiculite → hydroxy interlayered vermiculite, fixation of radiocaesium traces in, 107
surface morphology of quartz grains from tropical soils and its significance for assessing, 1
woodland, changes in soil chemistry accompanying acidification under, 401

zinc, general purpose Freundlich isotherms for, 139